

**AIRMUNITIONS SPECIFICATION****PR/MIPR #: FD2020-03-20760****DATE: 25 JUNE 2003****MAU-169(D-1)/B / NSN 1325-01-073-0404 FOR GBU-10/12**

- Ammunition lot numbering shall be accomplished. Reference MIL-STD-1168B for guidance
- Serial Numbers are required for each item.
- Items are to be marked using acceptable practices for marking of explosive devices (reference MIL-STD-130J for guidance). Minimum item marking shall include Manufacturer Part Number or Model Number, Lot Number (reference MIL-STD-1168B for guidance), Serial Number, and Date of Manufacturer. Item markings shall make no reference to service life or installation procedures.
- Items are inert.
- All configuration actions shall be in accordance with Industrial Standard EIA-649.
- Special Munitions Specifications are applicable: per as 6192 current review.

REPORT OF SHIPMENT (RESHIP): Contractor will be responsible to transmit RESHIP's to the appropriate consignee or CONUS water or air terminal transportation officer (T.O.) and the following service accountable supply activity: OO-ALC HILL AFB UT//WMR//. Such notice will be transmitted by electrical means (ETM) to be received at least 24 hours prior to the arrival of the shipment. A telephone REPSHIP to appropriate T.O. will be made when necessary to ensure receipt in advance of shipment arrival and later confirmed by message to all addresses.

For Foreign Military Sales (FMS) shipments, AFLC ILC WRIGHT PATTERSON AFB//XMXA//. Will be added to the ETM as an information address.

A copy of the bill of lading does not meet the requirements of a REPSHIP for ammunition, explosives and inert components. A RESHIP will include the following data IAW DOD4588.32A (MILSTRIP), Vol 1, Para 4-15 and the Defense Traffic Management Regulation, Para 32-27: (Fill in the blanks)

FOR SHIPMENTS TO A WATER OR AERIAL PORT	FOR SHIPMENTS TO CONUS DESTINATIONS
<p>EFTS UNCLASSIFIED</p> <p>FROM: (CONSIGNOR/SHIPPING ACTIVITY) _____</p> <p>TO: (CONUS WATER/AIR TERMINAL) _____</p> <p>INFO: OO-ALC HILL AFB UT//WMR//</p> <p>INFO: (ILC AND FIRST TRANSHIPMENT STATION IF APPLICABLE) _____</p> <p>SUBJ: MILSTRIP, REPSHIP, IDENTIFY AS CLASS A, B, OR C EXPLOSIVE _____</p> <p>1. CONVEYANCE NO: (CAR OR VEHICLE #) _____</p> <p>(A) CARRIER: _____ ROUTING: _____</p> <p>BILL OF LADING # _____ TTL NEW _____</p> <p>(a) SEAL NO OR ANY SECURITY DEVICES APPLIED (SUCH AS UPPER RAIL LOCKS, WIRE TWISTS, ETC) _____</p> <p>(b) TYPE TRANSPORTATION PROTECTIVE SERVICE RQD: (SSS, CSS, DDPS, RSS, NONE, ETC AND WHEN APPLICABLE, THE MTX-GS SERVICE NUMBER.) _____</p> <p>(c) JULIAN DATE OF SHIPMENT: _____</p> <p>(d) JULIAN DT OF EST TIME OF ARRIVAL: _____</p> <p>A. EXPORT TRAFFIC RELEASE # _____</p> <p>VESSEL NAME: _____ VOYAGE NO: _____</p> <p>(1) TRANS CONTROL # (TCN) _____</p> <p>(2) NSN: _____</p> <p>DODIC: _____</p> <p>(3) DIMENSIONS FOR UNITIZED LOADS; LENGTH: _____</p> <p>WIDTH: _____ HEIGHT: _____ INCH</p> <p>(4) TOTAL ROUNDS: _____ TOTAL PIECES: _____</p> <p>TOTAL WEIGHT: _____ TOTAL CUBE: _____</p> <p>(5) LOT # _____ ROUND COUNT: _____</p> <p>PIECES: _____ WEIGHT: _____ CUBE: _____</p> <p>AND NET EXPLOSIVE WEIGHT FOR LOT _____</p> <p>(When only one lot, furnish: Lot No and new. For more than one lot, furnish: Lot No, Round count, pieces, weight, cube.)</p> <p>(6) PROJECT CODE _____</p> <p>(7) SECURITY CLASSIFICATION: (CONFIDENTIAL, SECRET, OR SENSITIVE 1, 2, 3, 4. VERY HIGH, HIGH, MEDIUM, LOW RISK, MUNITION-UNDERLINE SECURITY OR SENSITIVE CATEGORY AND RISK AS APPLICABLE.) _____</p> <p>(8) NAME, OFFICE SYMBOL AND TELEPHONE NUMBER OF PERSON RESPONSIBLE FOR INFORMATION CONTAINED IN REPSHIP. _____</p>	<p>EFTO UNCLASSIFIED</p> <p>FROM: (CONSIGNOR/SHIPPING ACTIVITY) _____</p> <p>TO: (CONSIGNEE TRANSPORTATION OFFICER) _____</p> <p>INFO: OO-ALC HILL AFB UT//WMR//</p> <p>INFO: (ILC AND FIRST TRANSHIPMENT STATION IF APPLICABLE) _____</p> <p>SUBJ: MILSTRIP REPSHIP, IDENTIFY AS CALSS A, B, OR C EXPLOSIVE _____</p> <p>a. DOMESTIC RELEASE ORDER NO: _____</p> <p>b. CARRIER: _____ ROUTING: _____</p> <p>c. VEHICLE # _____ SEAL # _____</p> <p>NET EXPLOSIVE WEIGHT: (NEW) : (CLASS A AND B EXPLOSIVES IN EACH VEHICLE, IF APPLICABLE.) _____</p> <p>d. BILL OF LADING # _____</p> <p>e. DATE OF SHIPMENT: _____</p> <p>f. ETA: (EST DATE/TIME OF ARRIVAL) _____</p> <p>g. (DATA APPLICABLE TO EACH SHIPMENT): _____</p> <p>(1) NSN: _____</p> <p>DODIC: _____</p> <p>(2) ROUND COUNT FOR AMMO: _____</p> <p>(3) LOT NO FOR AMMO: _____</p> <p>SENSITIVE ITEM RISK CATEGORY: (FOR ARMS, AMMO, EXPL) _____</p> <p>(4) NUMBER &amp; TYPE OF CONTAINERS _____</p> <p>(5) WEIGHT: _____ CUBE: _____</p> <p>(6) COMPLETE OR PARTIAL SHIPMENT _____</p> <p>(7) PROJECT CODE _____</p> <p>(8) REGISTRATION # FOR PARCEL POST SHIPMENT OF SENSITIVE WEAPONS: _____</p> <p>(9) REQUISITION DOC # _____</p> <p>(10) FLAME OR HEAT PRODUCING TOOLS WILL NOT BE USED TO REMOVE SECURITY DEVICES. _____</p> <p>h. SECURITY CLASSIFICATION: _____</p> <p>i. NAME, OFFICE SYMBOL AND TELEPHONE NUMBER OF PERSON RESPONSIBLE FOR INFORMATION CONTAINED IN REPSHIP: _____</p>



# INSTRUCTIONS FOR COMPLETING DD FORM 1423

(See DoD 5010.12-M for detailed instructions.)

## FOR GOVERNMENT PERSONNEL

- Item A. Self-explanatory.
- Item B. Self-explanatory.
- Item C. Mark (X) appropriate category: TDP - Technical Data Package; TM - Technical Manual; Other - other category of data, such as "Provisioning," "Configuration Management," etc.
- Item D. Enter name of system/item being acquired that data will support.
- Item E. Self-explanatory (to be filled in after contract award).
- Item F. Self-explanatory (to be filled in after contract award).
- Item G. Signature of preparer of CDRL.
- Item H. Date CDRL was prepared.
- Item I. Signature of CDRL approval authority.
- Item J. Date CDRL was approved.
- Item 1. See DoD FAR Supplement Subpart 4.71 for proper numbering.
- Item 2. Enter title as it appears on data acquisition document cited in Item 4.
- Item 3. Enter subtitle of data item for further definition of data item (optional entry).
- Item 4. Enter Data Item Description (DID) number, military specification number, or military standard number listed in DoD 5010.12-L (AMSDL), or one-time DID number, that defines data content and format requirements.
- Item 5. Enter reference to tasking in contract that generates requirement for the data item (e.g., Statement of Work paragraph number).
- Item 6. Enter technical office responsible for ensuring adequacy of the data item.
- Item 7. Specify requirement for inspection/acceptance of the data item by the Government.
- Item 8. Specify requirement for approval of a draft before preparation of the final data item.
- Item 9. For technical data, specify requirement for contractor to mark the appropriate distribution statement on the data (ref. DoDD 5230.24).
- Item 10. Specify number of times data items are to be delivered.
- Item 11. Specify as-of date of data item, when applicable.
- Item 12. Specify when first submittal is required.
- Item 13. Specify when subsequent submittals are required, when applicable.
- Item 14. Enter addressees and number of draft/final copies to be delivered to each addressee. Explain reproducible copies in Item 16.
- Item 15. Enter total number of draft/final copies to be delivered.
- Item 16. Use for additional/clarifying information for Items 1 through 15. Examples are: Tailoring of documents cited in Item 4; Clarification of submittal dates in Items 12 and 13; Explanation of reproducible copies in Item 14.; Desired medium for delivery of the data item.

## FOR THE CONTRACTOR

Item 17. Specify appropriate price group from one of the following groups of effort in developing estimated prices for each data item listed on the DD Form 1423.

a. Group I. Definition - Data which is not otherwise essential to the contractor's performance of the primary contracted effort (production, development, testing, and administration) but which is required by DD Form 1423.

Estimated Price - Costs to be included under Group I are those applicable to preparing and assembling the data item in conformance with Government requirements, and the administration and other expenses related to reproducing and delivering such data items to the Government.

b. Group II. Definition - Data which is essential to the performance of the primary contracted effort but the contractor is required to perform additional work to conform to Government requirements with regard to depth of content, format, frequency of submittal, preparation, control, or quality of the data item.

Estimated Price - Costs to be included under Group II are those incurred over and above the cost of the essential data item without conforming to Government requirements, and the administrative and other expenses related to reproducing and delivering such data item to the Government.

c. Group III. Definition - Data which the contractor must develop for his internal use in performance of the primary contracted effort and does not require any substantial change to conform to Government requirements with regard to depth of content, format, frequency of submittal, preparation, control, and quality of the data item.

Estimated Price - Costs to be included under Group III are the administrative and other expenses related to reproducing and delivering such data item to the Government.

d. Group IV. Definition - Data which is developed by the contractor as part of his normal operating procedures and his effort in supplying these data to the Government is minimal.

Estimated Price - Group IV items should normally be shown on the DD Form 1423 at no cost.

Item 18. For each data item, enter an amount equal to that portion of the total price which is estimated to be attributable to the production or development for the Government of that item of data. These estimated data prices shall be developed only from those costs which will be incurred as a direct result of the requirement to supply the data, over and above those costs which would otherwise be incurred in performance of the contract if no data were required. The estimated data prices shall not include any amount for rights in data. The Government's right to use the data shall be governed by the pertinent provisions of the contract.

## PACKAGING REQUIREMENTS

FD-2020-03-20760

3. INSTRUCTIONS TO CONTRACTING OFFICER: Insert appropriate clauses into Spec Baa D for applicable items as indicated below.

APPLICANTS 6362,247-8005, SHIPPING CONTAINER MARKING. ITEM MARKETS/ON ISOMMAD

ITEM NAME(s) OR NUMERICAL:

NAME: DR. NISHANILAKSHI

AFRICANS 5352.247-9088, UNITED STATES COMMERCIAL PACKAGING Corporation  
Provide: ITEM NAME(S) OR MATERIAL

AFRICES 5362247-8009, MILITARY PACKAGES AND MAILING,  
ITEM NAMED OR NSN/MAC \_\_\_\_\_

NAME: DR ASHMMAC  
 DOB: 05/22/47, ENGINEERED OR SPECIALIZED CONTAINERS (CDRS). ITEM

THE ABOVE IS A SUMMARY OF THE INFORMATION CONTAINED IN THE ABOVE  
 REPORT. FOR A MORE DETAILED SUMMARY OF THE INFORMATION CONTAINED  
 IN THE ABOVE REPORT, SEE THE ATTACHED SUMMARY REPORT. FOR A MORE  
 DETAILED SUMMARY OF THE INFORMATION CONTAINED IN THE ABOVE REPORT,  
 SEE THE ATTACHED SUMMARY REPORT. FOR A MORE DETAILED SUMMARY OF  
 THE INFORMATION CONTAINED IN THE ABOVE REPORT, SEE THE ATTACHED  
 SUMMARY REPORT. FOR A MORE DETAILED SUMMARY OF THE INFORMATION  
 CONTAINED IN THE ABOVE REPORT, SEE THE ATTACHED SUMMARY REPORT.  
 NAME(S) OR DESIGNATION(S) OF HAZARDOUS MATERIAL ITEM

ITEM NAME/ID OR RESIDUAL/ACCT NO. OF THE ORDER. PACKAGING DATA (Cofed and/or Special Packaging details below).

**4. CODED DATA:** Coded requirements shall be interpreted in accordance with the STD 3022.

[illegible]

**PACKAGING SPECIALIST** *and more*

LEMPD

AFMC FORM 158, 20030408 (EF-V)

*Harley Drake*  
PREVIOUS EDITION IS OBSOLETE

**PREVIOUS EDITION IS OBSOLETE**

DATE \_\_\_\_\_

2003/4/9

**SEE REVERSE SIDE**

THE FOLLOWING STATEMENTS ARE IN COMPLIANCE WITH THE EUROPEAN UNION (EU) REQUIREMENTS LINED ON THE UNITED STATES, CANADA, CHINA, AND JAPAN CONCERNING ENVIRONMENTAL INVESTIGATION. THESE REQUIREMENTS ARE SPECIFICALLY CONCERNED WITH THE PINEWOOD NEARBY. THE STATEMENTS BELOW CITE THE REQUIREMENTS IN DETAIL AND COVER LUMBER USED TO BUILD CONTAINERS, EXISTING CONTAINERS, AND PALLETS USED FOR DELIVERIES RESULTING IN SHIPMENTS TO THE EU CORRECT, THROUGH AIR LOGISTICS CENTERS (ALSO) OR THROUGH OTHER BASES.

**LUMBER AND PACKAGING/CONTAINER STATEMENT:**

"ALL WOODEN LUMBER AND WOOD CONTAINERS PRODUCED ENTIRELY OR IN PART OF NON-MANUFACTURED SOFTWOOD SPECIES SHALL BE CONSTRUCTED FROM HEAT TREATED WITH MATERIAL AT TO 56 DEGREES CENTIGRADE OR 133 DEGREES FAHRENHEIT FOR DIRECT FAHRENHEIT FOR 30 MINUTES. CERTIFICATION IS REQUIRED BY AN ACCREDITED AGENCY RECOGNIZED BY THE AMERICAN LUMBER STANDARDS COMMITTEE (ALSC). CONSTRUCTION AND CERTIFICATION SHALL BE IN ACCORDANCE WITH NON-MANUFACTURED WOOD PACKING POLICY AND NON-MANUFACTURED WOOD PACKING ENFORCEMENT REGULATIONS, BOTH DATED MAY 30, 2001." THESE DOCUMENTS CAN BE FOUND AT [www.alh.org](http://www.alh.org).

**WOODEN PALLET STATEMENT:**

"ALL WOODEN PALLETS PRODUCED ENTIRELY OR IN PART OF NON-MANUFACTURED SOFTWOOD SPECIES SHALL BE CONSTRUCTED FROM HEAT TREATED WITH MATERIAL AT TO 56 DEGREES CENTIGRADE OR 133 DEGREES FAHRENHEIT FOR 30 MINUTES. CERTIFICATION IS REQUIRED BY AN ACCREDITED AGENCY RECOGNIZED BY THE AMERICAN LUMBER STANDARDS COMMITTEE (ALSC). CONSTRUCTION AND CERTIFICATION SHALL BE IN ACCORDANCE WITH NON-MANUFACTURED WOOD PACKING POLICY AND NON-MANUFACTURED WOOD PACKING ENFORCEMENT REGULATIONS, BOTH DATED MAY 30, 2001." THESE DOCUMENTS CAN BE FOUND AT [www.alh.org](http://www.alh.org).

**HARDWOOD SPECIES STATEMENT**

"ALL WOODEN PALLETS PRODUCED ENTIRELY OF NON-MANUFACTURED HARDWOOD SPECIES SHALL BE IDENTIFIED BY A PERMANENT MARKING OF "NC" (NON-CONCRETE), 1.25 INCHES OR GREATER IN HEIGHT, ACCOMPANIED BY THE CASE CODE OF THE CONTRACTED MANUFACTURER AND THE MONTH AND YEAR OF THE CONTRACT. ON PALLETS, THE MARKING SHALL BE APPLIED TO THE STRINGER OR BLOCK ON OPPOSITE SIDES AND ENDS OF THE PALLET AND BE CONTRASTING AND CLEARLY VISIBLE."

Book

## SPECIAL PACKAGING INSTRUCTION

CODE ID

98747

SPI NO. (TPO)

F01-073-0404

SHEET 1 OF 9

PART OR DRAWING NO.  
SEE TABLE 1NATIONAL STOCK NO.  
SEE TABLE 1CURRENT  
REV  
F

ILL. T. LUCERO

CHK. L. OLIVER *L. Oliver*ENGR. E. HANSEN *E. Hansen*AUTH. P. FRANCIS *P. Francis*

## ITEM NOMENCLATURE

COMPUTER CONTROL GROUP, BALLISTIC

ORIGINAL  
DATE  
93274

MILITARY PRESERVATION IAW: MIL-STD-2073

SERVICEABLE METHOD 41

UNSERVICEABLE METHOD 10

QUP 001

ICQ 000



CLEANING 1

DRYING IAW: MIL-STD-2073

PRESERVATIVE N/A

SPECIAL MARKINGS: IAW MIL-STD-129

A) SPI NUMBER: F01-073-0404

B) UN POP MARKINGS:  \*\*ENTER THE LAST TWO DIGITS OF THE YEAR  
DURING WHICH THE PACKAGING WAS MANUFACTURED.C) UN PROPER SHIPPING NAME:  
CARTRIDGES, POWER DEVICE UN0323D) DO NOT PUT HAZARDOUS COMMUNICATIONS OR UN  
SPECIFICATION MARKINGS ON INERT PACKAGESPACKING AS SPECIFIED BELOW AND BILL OF MATERIALS  
LEVEL SPEC STYLE TYPE CL VRTY GR

A NSN 8140-01-077-7337

B NSN 8140-01-077-7337

LEVEL A LEVEL B

GROSS CU FT 5.058 5.058

GROSS WT LBS 100 100

DESIGN FRAGILITY G 100 100

LENGTH WIDTH DEPTH

CNTR I.D. 48 12 12

CNTR O.D. 49 1/2 14 1/8 12 1/2

ITEM DIM 42 X 8 DIA

ITEM WT LBS 45

## REVISIONS

LTR	DESCRIPTION	DATE
D	UPDATED SPI	98244
E	UPDATED SPI RETESTED SPI	00157
F	UPDATED & RETESTED SPI	02338

## CLOSURE

IAW DL-793500-10 &amp; THIS DWG.

TABLE 1

NOTE: THE FOLLOWING NSN's SHALL NOT REMIXED-PACKED IN THE SAME SHIPPING CONTAINER.

NSN	DIMENSIONS	NET WT.	N.E.W.	EX#
1325-01-089-4525	1325-E067 42 X 8 dia.	45	.9610	1988100751
1325-01-092-3195	1325-E068 42 X 8 dia.	45	.9610	1988100753
1325-01-098-2812	1325-E069 42 X 8 dia.	45	.9610	1988100754
1325-01-258-5463	2895109-2 42 X 8 dia.	45	.9610	1988100757A
1325-01-269-8006	2895109-1 42 X 8 dia.	45	.9610	1988100757
1325-01-306-7976	2927252-1 42 X 8 dia.	45	.9610	1988100759
1325-01-073-0404	838376-1 42 X 8 dia.	45	INERT	

5	1	BARRIER BAG	53 X 18	MIL-DTL-117 TYPE I, CLASS F, STYLE 1
4	1	AFT BOTTOM CUSHION	DETAIL 4	A-A-59135, TYPE 1, CL 2
3	1	AFT TOP CUSHION	DETAIL 3	A-A-59135, TYPE 1, CL 2
2	1	FWD BOTTOM CUSHION	DETAIL 2	A-A-59135, TYPE 1, CL 2
1	1	FWD TOP CUSHION	DETAIL 1	A-A-59135, TYPE 1, CL 2
P/N	QTY REQD	NOMENCLATURE OR DESCRIPTION	SIZE (INCHES UNLESS SPECIFIED)	MATERIAL SPECIFICATION

DDPDPHM/USA/DOB/AF70/TR92037 &amp; 93046

SPI NO F01-073-0404

SPECIAL PACKAGING INSTRUCTION	CODE ID 98747	SPI NO. (TPO) F01-073-0404
ITEM NOMENCLATURE COMPUTER CONTROL GROUP, BALLISTIC		SHEET 2 OF 9
MUNITION NOTICES		
<p>NOTICE 1: CLASS 1 (EXPLOSIVE) MATERIAL OWNED BY THE DEPARTMENT OF DEFENSE (DOD) PACKAGED PRIOR TO JANUARY 1, 1990 IN ACCORDANCE WITH THE PACKAGING REQUIREMENTS IN EFFECT AT THAT TIME ARE EXCEPTED FROM THE REQUIREMENTS OF PERFORMANCE ORIENTED PACKAGING (POP) PROVIDED THE PACKAGINGS HAVE MAINTAINED THEIR INTEGRITY AND THE GOODS ARE DECLARED AS GOVERNMENT OWNED GOODS PACKAGED PRIOR TO JANUARY 1, 1990. THIS CLAUSE DOES NOT APPLY TO COMMERCIAL AIR SHIPMENTS. (REF DLAD 4145.41/AFJ 24-210.)</p>		
EUROPEAN UNION (EU) REQUIREMENTS NOTICES		
<p>NOTICE 2: LUMBER AND PACKAGING/CONTAINER STATEMENT - "ALL WOODEN LUMBER CONTAINERS PRODUCED ENTIRELY OR IN PART OF NON-MANUFACTURED SOFTWOOD SPECIES SHALL BE CONSTRUCTED FROM HEAT TREATED (HT) MATERIAL (HT TO 56 DEGREES CENTIGRADE OR 133 DEGREES FAHRENHEIT FOR 30 MINUTES). CERTIFICATION IS REQUIRED BY AN ACCREDITED AGENCY RECOGNIZED BY THE AMERICAN LUMBER STANDARDS COMMITTEE (ALSC). CONSTRUCTION AND CERTIFICATION SHALL BE IN ACCORDANCE WITH NON-MANUFACTURED WOOD PACKING POLICY AND NON-MANUFACTURED WOOD PACKING ENFORCEMENT REGULATIONS, BOTH DATED MAY 30, 2001." THESE DOCUMENTS CAN BE FOUND AT <a href="http://WWW.APHIS.USDA.GOV">WWW.APHIS.USDA.GOV</a>.</p>		
<p>NOTICE 3: WOODEN PALLET STATEMENT - "ALL WOODEN PALLETS PRODUCED ENTIRELY OR IN PART OF NON-MANUFACTURED SOFTWOOD SPECIES SHALL BE CONSTRUCTED FROM HEAT TREATED (HT) MATERIAL (HT TO 56 DEGREES CENTIGRADE OR 133 DEGREES FAHRENHEIT FOR 30 MINUTES). CERTIFICATION IS REQUIRED BY AN ACCREDITED AGENCY RECOGNIZED BY THE AMERICAN LUMBER STANDARDS COMMITTEE (ALSC). CONSTRUCTION AND CERTIFICATION SHALL BE IN ACCORDANCE WITH NON-MANUFACTURED WOOD PACKING POLICY AND NON-MANUFACTURED WOOD PACKING ENFORCEMENT REGULATIONS, BOTH DATED MAY 30, 2001." THESE DOCUMENTS CAN BE FOUND AT <a href="http://WWW.APHIS.USDA.GOV">WWW.APHIS.USDA.GOV</a>.</p>		
<p>NOTICE 4: HARDWOOD SPECIES STATEMENT - "ALL WOODEN PALLETS PRODUCED ENTIRELY OF NON-MANUFACTURED HARDWOOD SPECIES SHALL BE IDENTIFIED BY A PERMANENT MARKING OF "NC" (NON-CONIFEROUS), 1.25 INCHES OR GREATER IN HEIGHT, ACCOMPANIED BY THE CAGE CODE OF THE CONTRACTED MANUFACTURER AND THE MONTH AND YEAR OF THE CONTRACT. ON PALLETS, THE MARKING SHALL BE APPLIED TO THE STRINGER OR BLOCK ON OPPOSITE SIDES AND ENDS OF THE PALLET AND BE CONTRASTING AND CLEARLY VISIBLE."</p>		
NOTES:		
<ol style="list-style-type: none"><li>1. CONTAINER IS DESIGNATED CNU-317/E AND CONSTRUCTED IAW DL-793513-10.</li><li>2. PALLETIZATION SHALL BE IAW AIR FORCE DRAWING 793513.</li><li>3. ALTERNATE PACK SEE SHEET 4.</li></ol>		



## SPECIAL PACKAGING INSTRUCTION

CODE ID


98747

SPI NO. (TPO)

F01-073-0404

ITEM NOMENCLATURE  
COMPUTER CONTROL GROUP, BALLISTIC

SHEET 3 OF 9



## SPECIAL PACKAGING INSTRUCTION

CODE ID  
98747SPI NO. (TPD)  
F01-073-0404ITEM NOMENCLATURE  
COMPUTER CONTROL GROUP, BALLISTIC

SHEET 4 OF 9

## ALTERNATE PACK

## PRESERVATION

SERVICEABLE METHOD 41  
UNSERVICEABLE METHOD 10

## PACKING AS SPECIFIED BELOW AND BILL OF MATERIALS

LEVEL	SPEC	STYLE	TYPE	CL	VRTY	GR
A	ASTM-D6251	A	III	2		B
B	ASTM-D6251	A	III	1		A

## SPECIAL MARKINGS: IAW MIL-STD-129

A) SPI NO. F01-073-0404

MARK THE SPI NUMBER ON ONE SIDE OF  
THE CONTAINER AND ON ALL REMOVABLE  
DUNNAGE.B) UN POP MARKING: 

C) UN PROPER SHIPPING NAME:

CARTRIDGES, POWER DEVICE UN0323

\*\*THE LAST TWO DIGITS OF THE YEAR DURING  
WHICH THE PACKAGING WAS MANUFACTURED.

CLOSURE: IAW ASTM-D6251

P/N	QTY REQD	NOMENCLATURE OR DESCRIPTION	SIZE (INCHES UNLESS SPECIFIED)	MATERIAL SPECIFICATION
10	1	BARRIER BAG	53 X 18	MIL-DTL-117 TYPE I, CLASS F, STYLE 1
9	2	SADDLES (SEE DETAIL)	12 X 6 X 1 1/2	A-A-59135 TYPE I, CLASS 1, GRADE A
8	4	SADDLES (SEE DETAIL)	12 X 6 X 3	A-A-59135 TYPE I, CLASS 1, GRADE A
7	2	PADS	12 X 12 X 2 1/2	A-A-59135 TYPE I, CLASS 1, GRADE A
6	6	CLEATS	12 X 2 1/2 X 3/4	A-A-55057 TYPE A

DD FORM 2169 MOD

COMPUTER GENERATED



DDPDPHM/USA/DDD/AF70/TR 93046

SPI F01-073-0404


## SPECIAL PACKAGING INSTRUCTION

CODE ID  
98747SPI NO. (TPQ)  
F01-073-0404ITEM NOMENCLATURE  
COMPUTER CONTROL GROUP, BALLISTIC

SHEET 5 OF 9



REF -8



REF -9

## SPECIAL PACKAGING INSTRUCTION

CODE ID



98747

SPI NO. (TPD)

F01-073-0404


ITEM NOMENCLATURE  
COMPUTER CONTROL GROUP, BALLISTIC

SHEET 6 OF 9



DETAIL #3

CUSHION AFT TOP



## SPECIAL PACKAGING INSTRUCTION

CODE ID

98747


SPI NO. (TPQ)

F01-073-0404

ITEM NOMENCLATURE  
COMPUTER CONTROL GROUP, BALLISTIC

SHEET 7 OF 9

## DETAIL #1





## SPECIAL PACKAGING INSTRUCTION

CODE ID

98747


SPI NO. (TPO)

F01-073-0404

ITEM NOMENCLATURE  
COMPUTER CONTROL GROUP, BALLISTIC

SHEET 9 OF 9

## DETAIL #2



CUSHION FORWARD BOTTOM

# RECOMMENDED QUALITY ASSURANCE PROVISIONS AND SPECIAL INSPECTION REQUIREMENTS

1. PR/MIPR NUM.

FD2020-03-20760

2. NATIONAL STOCK NUMBER

1325 01 073-0404

3. POINT OF INSPECTION

SOURCE

DESTINATION



4. POINT OF ACCEPTANCE

SOURCE

DESTINATION



5. ITEM MANAGER/PHONE

6. EQUIPMENT SPEC/PHONE

JOHN LOCHNER / 775-6025

7. CRITERIA



COMMERCIAL



COMPLEX



CRITICAL



COMMON



MIL/FED SPEC



NON-COMPLEX



NON-CRITICAL



PECULIAR

8. CONTRACT QUALITY REQUIREMENTS/SPECIAL INSPECTION REQUIREMENTS



NATO AQAP-110  
FAR 52.246-11  
ISO 9001:1994  
ANSI 9001  
(or equivalent)



NATO AQAP-120  
FAR 52.246-11  
ISO 9002:1994  
ANSI 9002  
(or equivalent)



NATO AQAP-130  
FAR 52.246-11  
ANSI 9003:1994  
ISO 9003  
(or equivalent)



CERTIFICATE OF CONFORMANCE  
FAR 52.246-15



STANDARD INSPECTION  
FAR 52.246-2, -3, -4, -5, OR -6  
AS APPLICABLE TO CONTRACT



CONTRACTOR RESPONSIBILITY FOR INSPECTION  
FAR 52.246-1



MANDATORY GOVT INSPECTION  
IAW ATTACHED LETTER



OTHER (Block 9)



ISO 9001:2000  
FAR 52.246-11

9. REMARKS

MAU-169J/B

P/N: 3180374-1

APPL: GUIDANCE/CONTROL FOR GBU-12

CQR Code

Inspection ☒

Source

Dest

Acceptance ☒

Source

Dest

ISO/ANSI 9001 (or equivalent)

ISO/ANSI 9002 (or equivalent)

☒ ISO/ANSI 9003 (or equivalent)

Standard Inspection Clause

Contractor Responsibility for Insp

Mandatory Govt Inspection

(IAW atch Letter)

Date

13 MAR 03

Signature

John Lochner

NOTE: Quality provisions as annotated hereon will not be downgraded without Reviewer and Technical Authority coordination. The Reviewer and Technical Authority must be notified if award selection is made to a new source using Acquisition Method Code (AMC) 3, 4, or 5.

10. QUALITY PRE-AWARD SURVEY



YES



NEW SOURCE



NO



PREVIOUS SOURCE



AFMC PARTICIPATION  
RECOMMENDED

11. J023 CODES

A. I&A

1

B. CQR

0

12. NAME OF REVIEWER

JOHN LOCHNER

ORGANIZATION/SYMBOL

WMMG

PHONE

5-6025

DATE

13 MAR 03